



Mae Brechu yn achub bywydau  
Vaccination saves lives



GIG  
CYMRU  
NHS  
WALES

Iechyd Cyhoeddus  
Cymru  
Public Health  
Wales

# Respiratory syncytial virus (RSV) immunisation programme toolkit for Healthcare Practitioners



This document has been designed to help healthcare practitioners plan their RSV immunisation programme.



## Key points

- There are currently two routine RSV immunisation programmes which are available year-round:
- ✓ **The older adults' programme**
  - Individuals turning 75 are eligible and should be invited for vaccination within 12 weeks of turning 75. They remain eligible indefinitely.
  - The RSV catch-up programme for individuals aged 75 to 79 years has been extended. Individuals in this group also remain eligible indefinitely. Read the **CMO letter - RSV Vaccine (August 2025) | Welsh Government** (external site) for further information.
- ✓ **The maternal programme for infant protection**
  - The maternal programme for infant protection should be offered to all pregnant women from 28 weeks' gestation.
  - Pregnant women remain eligible for vaccination until discharge from maternity services, although early vaccination from 28 weeks is recommended.
  - Vaccination should be offered in each pregnancy to protect each infant against RSV.
  - Remember to identify pregnant women on WIS by selecting 'Yes' in the drop-down box.

## ✓ For both programmes

- Ensure staff delivering the immunisations have received appropriate training on the administration of RSV vaccination including practical assessment.
- Highlight eligible patients on the system, if possible, to promote opportunistic vaccination.

## The Vaccine

- The RSV vaccination authorised for use in the older adults and maternal programmes is Abrysvo® PreF RSV vaccine (Pfizer Limited).
- Vaccines are available to order via separate codes on ImmForm for the respective programmes. Please ensure you order from the correct stock. Aim to hold no more than two weeks' worth of stock to avoid waste.
  - Prior to administering the RSV vaccine for the first time, vaccinators are encouraged to watch a preparation video: **Preparation | Abrysvo®▼ (respiratory syncytial virus vaccine) | PfizerPro UK** (external site)
  - Ensure any adverse reactions are reported via the Yellow Card Scheme: **Yellow Card | Making medicines and medical devices safer** (external site)
- Ensure PGDs are locally authorised for use by registered professionals. (Please note: PGD templates are not legal for use until adapted and authorised by the relevant Local Health Board.)

## Check your knowledge: training and learning

- Immunisation training information and RSV vaccination programme slide sets are provided on the **Training Resources and Events page**
- If you are a registrant new to immunising you will need to complete the Immunisation programme for new immunisers, available here: **Immunisation eLearning - Public Health Wales** and **Appendix A: Vaccinator competency assessment tool** (external site)
- Read the Green Book: Immunisation against infectious disease: **RSV Green Book Chapter (27a)** (external site)
- Read the **UKHSA Respiratory syncytial virus (RSV) programme: information for healthcare professionals** (external site)

- Read the Welsh Health Circulars:

- **Introduction of RSV vaccination programme 2024 (WHC/2024/032)** (external site)

- **Update on RSV vaccination programme 2025 (WHC/2025/016)** (external site)

- Read the CMO letter on the RSV vaccine: **CMO letter - RSV Vaccine (August 2025) | Welsh Government** (external site)
- Share learning with all those involved in the programme, including reception staff booking appointments. Consider using the RSV slide sets to run a training and information session for colleagues.

## Additional clinical resources

- **Health Board vaccine team contacts**
- **Frequently Asked Questions (FAQs)**

## Legal framework

- **Patient Group Directions (PGDs) - Welsh Medicines Advice Service** (external site). Please note that these national PGD templates are not legal for use until adapted and authorised by the relevant Local Health Board.

## Communication materials to support your campaign

Take a look at **Public Health Wales Asset Library (brandkitapp.com)** (you will need to register the first time you use it). Here you will find resources to support your campaign that can be downloaded and used for waiting room TVs and websites.

# Order or download *free* resources

To order **Free** resources such as posters and patient information leaflets, to support vaccination clinics, visit: **Health Information Resources - Public Health Wales**

Patient resources are available here:

**Respiratory syncytial virus (RSV) vaccination information - Public Health Wales**

Professional resources are available here:

**Respiratory syncytial virus (RSV) vaccination information for health professionals - Public Health Wales**

**Mae Brechu yn achub bywydau**  
Vaccination saves lives

**How to protect you and your baby**

Information about vaccinations in pregnancy

Mae'r gwybodaeth hon ar gael yn Gymraeg. This information is available in Welsh.

**GIG CYMRU NHS WALES** | Iechyd Cyhoeddus Cymru | Public Health Wales

**Mae Brechu yn achub bywydau**  
Vaccination saves lives

**Respiratory syncytial virus (RSV) vaccination for older adults**

This leaflet explains the RSV vaccination programme for adults who are:

- turning 75 years old, or
- aged 76 to 79.

Mae'r gwybodaeth hon ar gael yn Gymraeg. This information is available in Welsh.

You can get this leaflet in other formats including British Sign Language (BSL), Easy Read, Large print and audio. Visit [phnhs.wales/vaccines/accessible-communication](http://phnhs.wales/vaccines/accessible-communication)

**GIG CYMRU NHS WALES** | Iechyd Cyhoeddus Cymru | Public Health Wales

**Mae Brechu yn achub bywydau**  
Vaccination saves lives

**Yn feichiog? Pregnant?**

Gall y brechiadau canlynol yn ystod beichiogwedyd helpu i chi cadw chi a'ch baban yn ddiogel.

- Y pas (pertussis)
- Ffwrws Syncytial Anadolol (RSV) - gwelwch isod
- Y ffliw
- COVID-19

**Howech eich nyrs neu fydwraig am y brechiadau hyn.**

On 1 March 2024, bydd mwy oedolion yn cael cymeg brechiol i helpu i gynyddu eu babanedd ag y ffwrws Syncytial Anadolol (RSV). Mae RSV yn achub cyffwrdd a hantirau phobol awel. Mae babanedd dan ffwrdd oed mwy neu o leiaf yn seach eiddod a geryntad i RSV.

**Gallwch ddigwyb mwy am beichiogwedyd, RSV a ffliw a COVID-19 hwy fyw i chi.**  
[nhs.uk/health-professionals](http://nhs.uk/health-professionals)

**From 1 September 2024, pregnant women will be offered a vaccine to help protect their babies against respiratory syncytial virus (RSV). RSV is a common cause of respiratory tract infections. Babies under one are at a greater risk of serious illness due to RSV.**

**Ask your nurse or midwife about these vaccines.**

From 1 September 2024, pregnant women will be offered a vaccine to help protect their babies against respiratory syncytial virus (RSV). RSV is a common cause of respiratory tract infections. Babies under one are at a greater risk of serious illness due to RSV.

**You can find out more about whooping cough, RSV, flu and COVID-19 vaccinations at [nhs.uk/health-professionals](http://nhs.uk/health-professionals)**

**GIG CYMRU NHS WALES** | Iechyd Cyhoeddus Cymru | Public Health Wales

**Mae Brechu yn achub bywydau**  
Vaccination saves lives

**Amdiffyfn eich hun rhag ffwrws syncytial anadolol (RSV)**

**Protect yourself from respiratory syncytial virus (RSV)**

**Oeddech chi'n gwybod? Wrth i chi fynd yn hŷn, mae eich risg i gael salwch difrifol o RSV yn cynyddu.**

Did you know? As you get older, your risk of serious illness from RSV increases.

Risk bhwyddyn, mae angen gofal ychydig ar hŷn at 1000 o bobl dros 75 oed oherwydd RSV - ffwrws cyffwrdd sy'n effeithio ar y llwybrau anadolol a'r pectol.

Each year, up to 1000 people aged over 75 need hospital care due to RSV - a common virus affecting the airways and lungs.

**Osych chi'n gwybod? Wrth i chi fynd yn hŷn, mae eich risg i gael salwch difrifol o RSV yn cynyddu.**

Did you know? As you get older, your risk of serious illness from RSV increases.

**Gallwch ddigwyb mwy, eich i [nhs.uk/health-professionals](http://nhs.uk/health-professionals)**

**You can find out more about whooping cough, RSV, flu and COVID-19 vaccinations at [nhs.uk/health-professionals](http://nhs.uk/health-professionals)**

**GIG CYMRU NHS WALES** | Iechyd Cyhoeddus Cymru | Public Health Wales



**Remind patients that the RSV vaccination is safe and effective and will help protect them and their loved ones.**



Atgoffwch gleifion bod y brechiad RSV yn ddiogel ac yn effeithiol. a bydd yn helpu i gynniig amddiffyniad iddynt hwy a'u hanwyliaid.



**Archebu neu lawrlwytho adnoddau am ddim** fel poster i a thafenni! gwlybodaeth i gleifion i gefnogi clinigau brechu, ewch i: Adnoddau Gwlybodaeth lechydd - lechydd Cyhoeddus Cymru

Mae adnoddau i gleifion ar gael yma: Gwlybodaeth am frechu firws syncytial anadiol (RSV) - lechydd Cyhoeddus Cymru

Mae adnoddau profesiynol ar gael yma: Feirws Syncytial Anadiol (RSV) - Gwlybodaeth i weithwyr lechydd profesiynol - lechydd Cyhoeddus Cymru

**Sut i amddiffyn eich hun a'ch babi**  
Gwlybodaeth am frechiad RSV ystod bechiogrwydd

**Brechiad feirws syncytial anadiol (RSV) ar gyfer oedolion hyn**  
Mae'r RSV yn ysborthu'r rhogion

**Yn feichiog?**  
Mae Brechu yn achub bywydau

**Pregnant?**  
The RSV vaccine can help keep you and your baby safe.

**Amddiffyn eich hun rhog feirws syncytial anadiol (RSV)**  
Protect yourself from respiratory syncytial virus (RSV)

• Cofiwch nodi menywod beichlog ar System Imiwneiddio Cymru (WIS) trwy ddeuwis 'ie' ar y gymplenn.

### ✓ Ar gyfer y ddwy raglen:

• Sicrhewch fod staff sy'n rhoi'r imiwneiddadau wedi cael hyfforddiant priodol ar weinyddu'r brechlyn RSV gan gynnwys asesu ymarferol.

• Tynnwch sylw at gleffion cymwys ar y system, os yn bosibl, i hyrwyddo brechu manteisgar.

## Y brechlyn

• Y brechlyn RSV a awdurdodwyd i'w ddefnyddio yn y rhaglenni oedolion hyn a mamau yw brechlyn Abrysvo® Praf RSV (Pfizer Limited).

• Mae brechlynau ar gael i'w harchebu trwy godau ar wahân ar ImForm ar gyfer y rhaglenni priodol. Gwnwch yn siŵr eich bod yn archebu o'r stoc cywir. Anelwch at gael dim mwy na phythefnos o stoc i osgoi gwastaff.

• Rydym yn annog brechwyr i wyllo'r fideo ar sut i baratoi'r brechlyn cyn rhoi'r brechlyn RSV am y tro cyntaf: Paratoad | Abrysvo® (brechlyn feirws syncytioi anadiol) | PfizerPro UK (safle allanol, Saesneg yn unig)

• Gwnwch yn siŵr bod unrhyw adweithiau niweidiol yn cael eu hadrodd drwy'r Cynllun Cerdyn Melyn: **Cerdyn Melyn | Gwneud meddygiiaethau a dyfeisiau meddygol yn fwy diogel** (safle allanol, Saesneg yn unig)

• Gwnwch yn siŵr bod Cyfarwyddadau Grŵp Cleffion (PGDs) wedi'u hawdurdodi'n lleol i'w defnyddio gan weithwyr profesiynol cofrestredig. (Noder: Nid yw templedi PGD yn gyfreithiol i'w defnyddio nes iddynt gael eu haddasu a'u hawdurdodi gan y Bwrdd Iechyd LleoI perthnasol).

## Gwirwch eich gwybodaeth: hyfforddiant a dysgu

• Darperir gwybodaeth am hyfforddiant imiwneiddio a setiau sleidiau rhaglen RSV ar y **Dudalen Adnoddau Hyfforddi a Digwyddiadau**

• Os ydych newydd gofrestru i imiwneiddio bydd angen i chi gwblhau'r rhaglen Imiwneiddio ar gyfer imiwneiddwyr newydd, sydd ar gael yma: **e-Ddsu-Imiwneiddio - Iechyd Cyhoeddus Cymru ac Atodiad A: Offeryn asesu cymhwysedd imiwneiddwyr** (safle allanol, Saesneg yn unig)

• Darllenwch y Llyfr Gwyrdd: Immunisation against infectious disease: **RSV Llyfr Gwyrdd Pennod (27a)** (safle allanol, Saesneg yn unig)

• Darllenwch **Rhaglen firws syncytioi anadiol (RSV) UKHSA: gwybodaeth i weithwyr gofal iechyd profesiynol** (safle allanol, Saesneg yn unig)

• Darllenwch Gylichlythyrau Iechyd Cymru:

- **Cyflwyno rhaglen frechu RSV 2024 (WHC/2024/032)** (safle allanol)

- **Gwybodaeth ddiweddarar am raglen frechu RSV 2025 (WHC/2025/016)** (safle allanol)

• Darllenwch llythyr y Prit Swyddog Meddygol ar y brechlyn RSV: **Llythyr y Prit Swyddog Meddygol - Brechlyn RSV (Awst 2025) | Llywodraeth Cymru** (safle allanol, Saesneg yn unig)

• Rhannu'r hyn a ddysgwyd gyda phawb sy'n ymwneud â'r rhaglen, gan gynnwys staff derbynfa sy'n trefnu apwyntiadau. Ystyriwch ddefnyddio'r setiau sleidiau RSV i gynnal sesiwn hyfforddi a gwybodaeth i gydweithwyr.

## Adnoddau clinigol ychwanegol

• **Cysylltiadau Byrddau Iechyd Cymru**

• **Cwestiynau Cyffredin (FAQs)** (Saesneg yn unig)

## Y Fframwaith Gyfreithiol

• **Cyfarwyddadau Grŵp Cleffion (PGDs) - Gwasanaeth Cynigor ar Feddygiiaethau Cymru** (safle allanol). Sylwch nad yw'r templedi PGD cenedlaethol hyn yn gyfreithlon i'w defnyddio nes iddynt gael eu haddasu a'u hawdurdodi gan y Bwrdd Iechyd LleoI perthnasol.

## Deunyddiau cyfathrebu i gefnogi eich ymyrch

Cymerwch olwg ar **Llyfrgell Asedau Iechyd Cyhoeddus Cymru (brandkitapp.com)** (bydd angen i chi gofrestru y tro cyntaf y byddwch yn defnyddio'r llyfrgell). Yma fe welwch adnoddau y gallwch eu lawrlwytho i gefnogi eich ymyrch a'u dangos ar sgriniau mewn ystafelloedd aros ac ar wefannau.



Mae Brechu yn achub bywydau  
Vaccination saves lives



GIG Cymru | NHS Wales  
Iechyd Cyhoeddus | Public Health  
Cymru | Wales

# Pecyn cymorth rhaglen imiwneiddio feirws syncytioi anadliol (RSV) ar gyfer Ymarferwyr Gofal Iechyd

## Diben y ddogfen hon yw helpu ymarferwyr gofal iechyd i gynllunio eu rhaglen imiwneiddio RSV.



### Pwntiau allweddol

- Dwy raglen imiwneiddio RSV rheolaidd sydd ar gael drwy gydol y flwyddyn ar hyn o bryd:
- ✓ Y rhaglen ar gyfer oedolion hyn

- Mae unigolion sy'n troi'n 75 oed yn gymwys a dylid eu gwahodd i gael brechiad ymhen 12 wythnos o droi'n 75 oed. Byddant yn parhau i fod yn gymwys am gyfnod amhenodol.

- Mae rhaglen dal i fyny RSV ar gyfer unigolion rhwng 75 a 79 oed wedi'i hymestyn. Mae'r unigolion yn y grŵp hwn hefyd yn parhau i fod yn gymwys am gyfnod amhenodol. Darllenwch **Llythyr y Prif Swyddog Meddygol - Brechlyn RSV (Awst 2025) | Llywodraeth Cymru** (saffie allanol, Saesneg yn unig) am ragor o wybodaeth.

### ✓ Y rhaglen brechu mamau i amddiffyn babanod

- Dylid cynnig y rhaglen brechu mamau i amddiffyn babanod i bob menyw feichiog o 28 wythnos y beichiogrwydd ymlaen.
- Mae menywod beichiog yn parhau i fod yn gymwys i gael eu brechu hyd nes y cânt eu rhyddhau o'r gwasanaethau mamolaeth, er yr argymhellir brechu cynnar o 28 wythnos ymlaen.
- Dylid cynnig brechiad pob cenhedlaeth i amddiffyn pob babi rhag RSV.

